

## Chain Link Accessories for Timber and Concrete Posts

If you decide not to use our complete Tubular Chain Link System (page 145 onwards) you will need special fittings to use with timber and concrete posts. The accessories listed here will provide you with the necessary materials to help you install a chain link, welded mesh, plain or barbed wire fence. Should you have any difficulty in deciding which materials you need, please contact our sales team, who are always willing to assist you.

Stretcher Bar Kits, Stretcher Bars, Angle Cleats, Eyebolts and Adaptors for chain link fencing when attached to wooden or concrete posts. All hot dip galvanised.

### 1 Stretcher Bar Kits

Height	No. of Angle Cleats, Eyebolts, Adaptors & Hex bolts per bar	Ref
0.90m	2	301700BM ●
1.20m	3	301800BM ●
1.40m	3	301900BM ●
1.80m	3	302000BM ●

### 2 Stretcher Bars - Hot Dip Galvanised

Size	Ref
900mm x 5mm 2 holes	335030 ●
1050mm x 5mm 2 holes	335730 ●
1200mm x 5mm 3 holes	335130 ●
1400mm x 5mm 3 holes	335230 ●
1500mm x 5mm 3 holes	335830 ●
1800mm x 5mm 3 holes	335330 ●
2000mm x 5mm 3 holes	335930 ●
2100mm x 5mm 3 holes	335430 ■
2400mm x 5mm 4 holes	335530 ●
2750mm x 5mm 5 holes	335630 ●
3000mm x 5mm 5 holes	334830 ●

### 3 Bolts for Stretcher Bars with 2 Nuts Galvanised

Size	Ref
M8 x 40 (supplied in 100s)	336000 ●

### 4 Galvanised Angle Cleats

Size	Ref
40mm x 40mm x 5mm	336100 ●
50mm x 50mm x 6mm	336200 ●

### 5 Galvanised Eye Bolts

(Fully threaded welded eye with 2 nuts & washers)

Size	Ref
200mm x 10mm	344000 ●
300mm x 10mm	341800 ●
300mm x 12mm	341700 ●



### 6 Galvanised Loop Adaptors

Size	Ref
10mm eye bolts	341880 ●

### 7 8 9 Strainers Galvanised

Size	Ref
G - Ratchet - Heavy duty (7)	342000 □
H - Radisseur - Large (8)	341900 □
I - Ferrule (9)	342400 ●

### 10 Barbed Wire Stays

Size	Ref
710mm x 30mm x 6mm. Galvanised & notched for 3 rows of barbed wire.	342300 ●

### Tying Wire 1kg Coils

Size	Ref
16g.(1.6mm), Galvanised, 62m	338000 ●
14g.(2.0mm), Green P.V.C. Coated, 70m	338100 ●

### Line Wire PVC Coated Green

Size	25kg Ref	26m Ref
2.24/3.15mm - 710m	339400 ●	337400 ●
2.50/3.55mm - 550m	339500 ●	337500 ●
3.00/4.00mm - 420m	339600 ●	337600 ●
3.55/4.75mm - 280m	339700 ●	337700 □

● Stock items □ Supplied to order (Cannot be cancelled once ordered).  
■ Check for availability.

## Fixing Tools & Miscellaneous

### 1 Jakclips

The simplest method for square posts- 2 clips to fix each side of the panel to non-slotted square post.

Size	Ref
Fixing set: 4 x self screw Jakclips, 8 x 50mm galvanised nails, 2 x 65mm galvanised nails for post caps (plus 1 spare).	645000 ●

### 2 Jakcure® Timber Spur Posts

Posts are 100mm x 100mm nominal section with 2 x 10mm holes drilled for bolting to the post. Posts are set 600mm into the ground.

Size	Ref
Standard stock size. 1500mm.	756310 ■
For bolts see below.	

### 3 Cement and Ballast

Size	Ref
20kg Bag Post Fixing Mix	648071 ●
25kg Ballast Bag	648110 ●
25kg Master Crete (Extra rapid cement) Bag	648220 ●
25kg Standard Cement Bag	648200 ●

### 4 Bolts & Nuts Cup Square Galvanised

Length	M8 Ref	M10 Ref	M12 Ref
50mm	803900	805600	807300
55mm	804000	805700	-
65mm	804100 ●	805800 ●	807500
75mm	804300 ●	806000 ●	807600 ●
90mm	804500 ●	806200 ●	-
100mm	804600 ●	806300 ●	807800 ●
110mm	804700 ●	806400 ●	807900 ●
130mm	804800 ●	806500 ●	808000
140mm	-	806600 ●	-
150mm	804900 ●	806700 ●	808100
160mm	-	806800 ●	808200
180mm	805000 ●	806900 ●	808300
220mm	-	807100 ●	808500

### 5 Countersunk Supascrews Stainless Steel

Length	Size	Per 200	Per 10
40mm	4mm	809000 ●	809010 ●
45mm	5mm	809100 ●	809110 ●
50mm	5mm	809200 ●	809210 ●
65mm	5mm	809300 ●	809310 ●
75mm	5mm	809400 ●	809410 ●



### 6 Coach Screws Hex Head

Chamfered head Gimlet Point.

Length	M8 Ref	Ref
65mm	810500	-
75mm	810600 ●	-
90mm	-	811100
100mm	-	811200 ●

### 7 Roofing Bolts - Galvanised

Diam.	Length	Ref per 100
M8	40mm	813000 ●

### 8 Bolts & Nuts Cup Square Galvanised

Bolt	O.D. mm	Thickness mm	Ref per 100	Ref per 10
M8	21	2.0	811800 ●	812300 ●
M10	24	2.0	811900 ●	812400 ●
M12	28	2.5	812000 ●	812500 ●

● Stock items ■ Check for availability.

### Stainless Steel Nails for Palisade and Featherboard Fencing

Length	Approx Count per kg.	Ref 5kg. box	Ref 1kg. bag
50mm	441	800750 ●	800710 ●

### 1 Galvanised Staples

Size	Approx Count per kg.	Ref 20kg. Carton	Ref 5kg. Tub	Ref 1kg. Tub
20 x 2.00mm	1079	801020 ●	801050 ●	801010 ●
30 x 3.55mm	226	801120 ●	801150 ●	801110 ●
40 x 4.00mm	136	801220 ●	801250 ●	801210 ●

### 2 Galvanised (Barbed) Staples

Size	Approx Count per kg.	Ref 20kg. Carton	Ref 5kg. Tub	Ref 1kg. Tub
30mm x 3.15mm	250	328620 ●	328650 ●	328610 ●

### 3 Wire Nails (Galvanised Wire)

Length	Approx Count per kg.	Ref 25kg.	Ref 5kg. Tub	Ref 1kg. Tub
50mm	441	800100 ▼	800150 ▼	800110 ▼
65mm	216	800400 ●	800450 ●	800410 ●
75mm	145	800200 ●	800250 ●	800210 ●
100mm	79	800300 ●	800350 ●	800310 ●
125mm	42	800500 ●	800550 ●	800510 ●
150mm	31	800600 ●	800650 ●	800610 ●

### 4 Resin Anchor

Description	Ref
Tube of polyester resin for anchoring studding	070007

### 5 Resin Applicator

Ref
070009

### 6 Studding

Lengths of threaded galvanised metal rod studding including 7 nuts & washer per metre.

Size	Ref
M8	070008
M10	070010
M12	070012
M16	070016

### 7 Steel Locking Bars

In Galvanised finish.

Size	Ref
300mm	354000 ●

### 8 Arris Rail Repair Bracket

In galvanised finish.

Size	Ref
300mm	420300 ●

### 9 Heavy Cross Bolt


In galvanised finish.

Size	Ref
450mm	352400 ●

### 10 Brenton Pattern Galvanised Bolts

Size	No. of Screws/Bolts	Ref
150mm	4/4	344900 ●*
200mm	4/4	345000 ●*
250mm	4/4	345100 ●*
300mm	4/4	345200 ●*

● Stock items ▼ While stocks last \* Includes bolts and screws



### 11 Gate Return Spring

Epoxy Black.

Size	Ref
250mm	346800 ●*

### 12 Lift Gate Hook

Description	Ref
With coach screws to take 38mm rails.	420400

### 13 14 Padlocks

Description	Ref
Padlock 60mm. Defiant 6 lever padlock. 12mm shackle dia.	357100 ●
RADAR padlock (3 keys) p. 135	284550BM

### 15 Monkey Tail Bolt

Size	Ref
450mm x 16mm	353400 ●

### 16 Tee Hinges

Length of Tail	Ref
300mm	344500 ●*
400mm	344600 ●*
450mm	344700 ●*
600mm	344800 ●*

### 1 Ring Latches Galvanised

Description	Ref
Two ring handles, Heavy - 125mm	350300 ●*
Two ring handles, Extra Heavy - 175mm	355000 ●*

### 2 Automatic Latch

Description	Ref
Heavy Duty Galvanised	350400 ●*

### 3 Pad Bolt

Description	Ref
Oval Galvanised - 100mm	351300 ●*

### 4 Cabin Hook Galvanised

Description	Ref
100mm	351550 ●*
150mm	351660 ●*

### 5 Ring Gun

Description	Ref
Automatic Ring Fastener Gun. Very fast method of fastening wire netting and chain link to support wires	410400 ●

### 6 Ring Fasteners

For use with ring gun in image 5 in packs of 1000.

Description	Ref
Galvanised	410500 ●
Stainless Steel	410550 ●

### 7 Welded Mesh Clip Tool

Description	Ref
Fast method for attaching welded mesh providing a high level of security.	523100 ●

### 8 Welded Mesh Clips

Description	Ref
Stainless steel clips in packs of 1443.	523000 ●

### 9 Hook & Band Hinge

Description	Ref
Price per pair. Cranked folded eye 400mm	350200 ●*

### 10 Adjustable Hook & Band Hinge

Bent Hinge (10A) Size	Ref
400mm per pair	350550 ●*
Boxed Hinge (10B) Size	Ref
500mm per pair	350800 ●*
700mm per pair	351770 ●*



### 11 Heavy Reversible Hinges

Size	Ref
620mm x 19mm	352900 ●*
780mm x 19mm	353300 ●*
930mm x 19mm	353000 ●*

### 12 Fencing Pliers

Description	Ref
Invaluable aid to wire and fencing work	370700 ●

### 13 Wire Cutters

Description	Ref
A For cutting up to 3.15mm H.T. plain wire	334000 ●
B For cutting and twisting up to 3.15mm H.T. or 4mm mild steel wire	334100 ●
C For cutting mild steel strand 6.5mm High Tensile steel rope 180kg/mm <sup>2</sup> 5.0mm Steel rod 66kg/mm <sup>2</sup> 4.0mm Spring wire 180kg/mm <sup>2</sup> 2.5mm	334200 ●

● Stock items \* Includes bolts and screws



## 1 Claw Hammer

Description	Ref
A strong Claw Hammer with wooden handle	371200 ●

## 2 Wire Tying Tool

Description	Ref
Complete with rubber handle	349700 ●

## 3 Wire Tensioning Tool

Description	Ref
Wire Tensioning Tool	346900 ●

## 4 Wire Ties Galvanised

Wire ties are the most efficient method of tying up bags, sacks, bundles and chain link to the top rail.

Description	Ref
100mm Galvanised per 1000	348900 ●
200mm Galvanised per 1000	563492 ●

## 5 Post Level

Sturdy, high-impact POSTRITE construction. Three durable adjustment free acrylic vials to read plumb and level.

Use when establishing plumb or level on fences, posts etc.

Description	Ref
Post Level	400800 ●

## 6 'Monkey' Hole Borer

Description	Ref
150mm diameter	392000 ●
225mm diameter	392100 ●

## 7 Post Driver

For driving home wooden posts, stakes, angle irons etc. with no hole digging, ramming or damage to posts.

Description	Ref
No. 5 for posts up to 120mm diameter	400600 ●
No. 6a for posts up to 146mm diameter (two handles)	400700 ●

## 8 Grubbing Mattock

Description	Ref
5lb. (Head only)	347700 ●

## 9 Hickory Mattock & Pickaxe Handle

Size	Ref
900mm	347800 ●

## 10 Sledgehammer

Size	Ref
10lb.	347200 ●

● Stock items



## 11 Square Rammer

Description	Ref
Tubular handle. 10lb. Head	346200 ●

## 12 Grafting Spade

Description	Ref
Grafting Spade	401500 ●

## 13 Spade Rabbeting - Telecom

Description	Ref
1.70m tubular steel handle. Size 124mm x 320mm	346700 ●

## 14 Heavy Duty Shovholer Hole Digger

Description	Ref
50% quicker and easier than using a spade	401400 ●

## 15 Crowbar Chisel & Point

Description	Ref
1.50m	346300 ●

## 16 Post Maul

Description	Ref
Fibre glass handle	345330 ●